

**TAT**  
 (circle one)

3 Hours 6 Hours Same Day Next Day  
 2 Days 3 Days 5 Days Other \_\_\_\_\_  
 TAT in bus. days - lab approval required for rush analysis

**PASI Batch #**

Client: \_\_\_\_\_ **PLM Chain of Custody**

Address: \_\_\_\_\_ Special Instructions: \_\_\_\_\_

Relinquished By: \_\_\_\_\_ Date/Time: \_\_\_\_\_

Project #: \_\_\_\_\_ PO: \_\_\_\_\_ Received By Lab: \_\_\_\_\_ Date/Time: \_\_\_\_\_

Project Site: \_\_\_\_\_ Shaded area for lab use only. Due Date: \_\_\_\_\_

Contact: \_\_\_\_\_ # of Samples Received: \_\_\_\_\_ Analyzed: \_\_\_\_\_

Tel. / Fax #: \_\_\_\_\_ Results: email fax verbal By: \_\_\_\_\_ Date: \_\_\_\_\_

Email: \_\_\_\_\_ Analyst / Date: \_\_\_\_\_ QC by / Date: \_\_\_\_\_

Sample ID	Date Sampled	Description / Location	Stereo Scope			Optical Properties						RI		Asbestos Percentage (%)						Non Asbestos Percentage (%)							
			SSAPE	Color	Homogeneity	Texture	Friable	Morphology	Extinction	Sign of Elongation	Birefringence	Pleochroism		⊥	Chrysotile	Amosite	Crocidolite	Tremolite	Anthophyllite	Actinolite	Fiberglass	Mineral Wool	Cellulose	Hair	Synthetic	Other	Non Fibrous

**Comments:** Birefringence L= less than .010, M= .01-.050, H= greater than .05; Microscope circle 1: BH-2 - 229027, 235000, 231856, Zeiss - 3352010013 Lab uses the EPA or ELAP point count method as appropriate. SSAPE = Stereo Scope Asb. % Est.