

AIHA Laboratory Accreditation Programs, LLC acknowledges that Pace Analytical Services, LLC – Fort Worth 2657 Gravel Dr Fort Worth, TX 76118-6965 Laboratory ID: LAP-274683

along with all premises from which key activities are performed, as listed above, has fulfilled the requirements of the AIHA Laboratory Accreditation Programs, LLC (AIHA LAP) accreditation to the ISO/IEC 17025:2017 international standard, General Requirements for the Competence of Testing and Calibration Laboratories in the following:

LABORATORY ACCREDITATION PROGRAMS

	INDUSTRIAL HYGIENE	Accreditation Expires:
	ENVIRONMENTAL LEAD	Accreditation Expires:
\checkmark	ENVIRONMENTAL MICROBIOLOGY	Accreditation Expires: June 01, 2025
	FOOD	Accreditation Expires:
	UNIQUE SCOPES	Accreditation Expires:
	BE FIELD/MOBILE	Accreditation Expires:

Specific Field(s) of Testing/Method(s) within each Accreditation Program for which the above named laboratory maintains accreditation is outlined on the attached Scope of Accreditation. Continued accreditation is contingent upon successful on-going compliance with ISO/IEC 17025:2017 and AIHA LAP requirements. This certificate is not valid without the attached Scope of Accreditation. Please review the AIHA LAP website (www.aihaaccreditedlabs.org) for the most current Scope.

Cheryl J. Marton

Cheryl O Morton Managing Director, AIHA Laboratory Accreditation Programs, LLC

Date Issued: 01/08/2024

Revision21: 10/24/2023



AIHA Laboratory Accreditation Programs, LLC SCOPE OF ACCREDITATION

Pace Analytical Services, LLC – Fort Worth

Laboratory ID: LAP-274683

2657 Gravel Dr Fort Worth, TX 76118-6965

lssue Date: 01/08/2024 Expire Date: 06/01/2025

The laboratory is approved for those specific field(s) of testing/methods listed in the table below. Clients are urged to verify the laboratory's current accreditation status for the particular field(s) of testing/Methods, since these can change due to proficiency status, suspension and/or withdrawal of accreditation.

Environmental Microbiology Laboratory Accreditation Program (EMLAP)

EMLAP Scope Category	Field of Testing (FOT)	Component, parameter, characteristic, material, or product tested	Method	Method Description (for internal methods only)
Bacterial	Air - Culturable	Air	SOP 2.2	In-House: Total Bacterial Count-Air Culture
Bacterial	Bulk - Culturable	Bulk	SOP 2.4	In-House: Total Bacterial Count-Bulk
Bacterial	Legionella	Water and Surface	SOP 2.22	In-House: Legionella Colony Agglutination
Bacterial	Legionella	Water and Surface	SOP 2.35	In-House: Environmental Legionella Culture
Bacterial	Surface - Culturable	Surface	SOP 2.3	In-House: Total Bacterial Count-Wipe
Fungal	Air - Culturable	Air	SOP 3.2	In-House: Total Fungal Count-Air Culture
Fungal	Air - Direct Examination	Air	SOP 3.8	In-House: Non Viable Spore Trap Analysis
Fungal	Bulk - Culturable	Bulk	SOP 3.4	In-House: Total Fungal Count-Bulk Culture
Fungal	Bulk - Direct Examination	Bulk	SOP 3.7	In-House: Direct Microscopic Exam For Identification of Fungi
Fungal	Surface - Culturable	Surface	SOP 3.3	In-House: Total Fungal Count-Wipe Culture
Fungal	Surface - Direct Examination	Surface	SOP 3.7	In-House: Direct Microscopic Exam For Identification of Fungi

Initial Accreditation Date: 03/01/2021

A complete listing of currently accredited EMLAP laboratories is available on the AIHA LAP, LLC website at: <u>http://www.aihaaccreditedlabs.org</u>

Effective: 10/24/2023 Revision: 8 Page 1 of 1