

## **AIHA Laboratory Accreditation Programs, LLC**

acknowledges that

## Aerobiology Laboratory Associates, Inc., A Pace Analytical Laboratory 5253 NW 33rd Ave., Ft. Lauderdale, FL 33309

Laboratory ID: LAP-228303

along with all premises from which key activities are performed, as listed above, has fulfilled the requirements of the AIHA Laboratory Accreditation Programs (AIHA LAP), LLC accreditation to the ISO/IEC 17025:2017 international standard, General Requirements for the Competence of Testing and Calibration Laboratories in the following:

#### LABORATORY ACCREDITATION PROGRAMS

	INDUSTRIAL HYGIENE	Accreditation Expires:
	ENVIRONMENTAL LEAD	Accreditation Expires:
$\checkmark$	ENVIRONMENTAL MICROBIOLOGY	Accreditation Expires: June 01, 2025
	FOOD	Accreditation Expires:
П	UNIQUE SCOPES	Accreditation Expires:

Specific Field(s) of Testing (FoT)/Method(s) within each Accreditation Program for which the above named laboratory maintains accreditation is outlined on the attached Scope of Accreditation. Continued accreditation is contingent upon successful on-going compliance with ISO/IEC 17025:2017 and AIHA LAP, LLC requirements. This certificate is not valid without the attached Scope of Accreditation. Please review the AIHA LAP, LLC website (www.aihaaccreditedlabs.org) for the most current Scope.

Cheryl O Morton

Cheryl O. Martan

Managing Director, AIHA Laboratory Accreditation Programs, LLC

Revision21: 05/15/2023 Date Issued: 06/01/2023



# AIHA Laboratory Accreditation Programs, LLC SCOPE OF ACCREDITATION

## Aerobiology Laboratory Associates, Inc., A Pace Analytical Laboratory

5253 NW 33rd Ave., Ft. Lauderdale, FL 33309

Laboratory ID: LAP-228303

Issue Date: 06/01/2023

The laboratory is approved for those specific field(s) of testing/methods listed in the table below. Clients are urged to verify the laboratory's current accreditation status for the particular field(s) of testing/Methods, since these can change due to proficiency status, suspension and/or withdrawal of accreditation.

### **Environmental Microbiology Laboratory Accreditation Program (EMLAP)**

Initial Accreditation Date: 06/01/2017

EMLAP Scope Category	Field of Testing (FOT)	Component, parameter or characteristic tested	Method	Method Description (for internal methods only)
Bacterial	Air - Culturable	Air	SOP 2.2	In House: Total Bacterial Count Air Cultures
Bacterial	Bulk - Culturable	Bulk & Water	SOP 2.4	In House: Total Bacterial Count - Bulk & Water Culture
Bacterial	Bulk - Culturable	Bulk & Water	SOP 2.5	In House: Total Bacterial Count - Bulk & Water Culture
Bacterial	Legionella	Water	SOP 2.5	In House: IDEXX Legiolert for the Detection of Legionella pneumophila
Bacterial	Legionella	Water and Surface	SOP 2.35	In House: Environmental Legionella Culture
Bacterial	Surface - Culturable	Surface	SOP 2.23	In House: Total Bacterial Count Wipe
Bacterial	Surface - Culturable	Surface	SOP 2.3	In House: Total Bacterial Count Wipe
Fungal	Air - Culturable	Air	SOP 3.2	In-House: Total Fungal Count-Air Culture
Fungal	Air - Direct Examination	Spore Trap/Air	SOP 3.8	In House: Non-Viable Spore Trap Analysis
Fungal	Bulk - Culturable	Bulk	SOP 3.5	In-House: Total Fungal Count-Bulk Culture
Fungal	Bulk - Direct Examination	Bulk	SOP 3.7	In House: Direct Microscopic Exam for Identification of Fungi
Fungal	Surface - Culturable	Surface	SOP 3.3	In-House: Total Fungal Count-Wipe Culture
Fungal	Surface - Direct Examination	Surface	SOP 3.7	In House: Direct Microscopic Exam for Identification of Fungi

Effective: 05/15/2023

Revision: 8 Page 1 of 2



EMLAP Scope Category	Field of Testing (FOT)	Component, parameter or characteristic tested	Method	Method Description (for internal methods only)
Fungal	Surface - Direct Examination	Surface	SOP 3.9	In House: Direct Microscopic Exam for Identification of Fungi

A complete listing of currently accredited EMLAP laboratories is available on the AIHA LAP, LLC website at: <a href="http://www.aihaaccreditedlabs.org">http://www.aihaaccreditedlabs.org</a>

Effective: 05/15/2023

Revision: 8 Page 2 of 2